



Smartphone addiction is increasing across the world: A meta-analysis of 24 countries

Jay A. Olson^{a,*}, Dasha A. Sandra^b, Éliisa S. Colucci^c, Alain Al Bikaii^c, Denis Chmoulevitch^c, Johnny Nahas^c, Amir Raz^{a,d}, Samuel P.L. Veissière^a

^a Department of Psychiatry, 1033 Pine Avenue West, McGill University, Montreal, QC, H3A 1A1, Canada

^b Integrated Program in Neuroscience, 1033 Pine Avenue West, McGill University, Montreal, QC, H3A 1A1, Canada

^c Department of Psychology, 2001 McGill College Avenue, McGill University, Montreal, QC, H3A 1G1, Canada

^d Institute for Interdisciplinary Behavioral and Brain Sciences, Chapman University, 14725, Alton Parkway Suite 200, Irvine, CA, USA

ARTICLE INFO

Keywords:

Problematic smartphone use
Smartphone addiction
Meta-analysis

ABSTRACT

Smartphone ownership and screen time are increasing across the world, but there have been few attempts to quantify smartphone addiction on a global scale. We conducted a meta-analysis of studies published between 2014 and 2020 that used the Smartphone Addiction Scale, the most common measure of problematic smartphone use. We focused on adolescents and young adults (aged 15 to 35) since they tend to have the highest screen time and smartphone ownership rates. Across 24 countries, 83 samples, and 33,831 participants, we demonstrate that problematic smartphone use is increasing across the world. China, Saudi Arabia, and Malaysia had the highest scores while Germany and France had the lowest. We suggest that the clinical interpretation of these scores should be updated given current global trends.

1. Introduction

Smartphone ownership has increased over the past decade, reaching around half or more of the global population (Newzoo, 2021; O'Dea, 2021). In high-income countries across North America and Europe, over 80% of the population owns a smartphone, and rates in low- and middle-income countries continue to rise (Newzoo, 2018, 2019). While several organisations track objective measures such as smartphone ownership and screen time patterns (GlobalWebIndex, 2018; Newzoo, 2021; O'Dea, 2021; Pew Research Center, 2019; Rideout & Robb, 2019), few have attempted to quantify the more subjective aspects of smartphone use across the world.

For example, *problematic smartphone use* occurs when smartphones interfere with daily life (Busch & McCarthy, 2021; Panova & Carbonell, 2018). It generally correlates with screen time (e.g., Randjelovic, Stojiljkovic, Radulovic, Stojanovic, & Ilic, 2020) but is a distinct construct; high screen time alone does not necessarily cause negative effects. For example, some people may benefit from calling their friends for several hours per day, while others who use social networking apps for only a

few minutes while trying to study or sleep may experience negative effects (Sohn, Krasnoff, Rees, Kalk, & Carter, 2021). Problematic smartphone use has been associated with cognitive impairments (Wilmer, Sherman, & Chein, 2017), lower sleep quality (Demirci, Akgönül, & Akpınar, 2015), and depression (Elhai, Dvorak, Levine, & Hall, 2017; Geng, Gu, Wang, & Zhang, 2021); limiting smartphone use can reduce depression and improve sleep quality (Hughes & Burke, 2018; Hunt, Marx, Lipson, & Young, 2018; Olson, Sandra, Chmoulevitch, Raz, & Veissière, 2021). However, researchers continue to debate about the precise relationship between smartphone use and various aspects of well-being (Davidson, Shaw, & Ellis, 2020; Przybylski, 2019; Twenge, Blake, Haidt, & Campbell, 2020) as well as whether problematic smartphone use constitutes a behavioural addiction (Kardesfelt-Winther et al., 2017; Panova & Carbonell, 2018; Satchell et al., 2020). In any case, many people report wanting to reduce their smartphone use (Olson, Sandra, Chmoulevitch, Raz, & Veissière, 2021). Almost half of smartphone users in developed countries believe they are over-using their phones (Deloitte, 2019) and many would rather spend their time doing something else (Deloitte, 2018; Lukoff, Yu, Kientz, &

* Corresponding author.

E-mail addresses: jay.olson@mail.mcgill.ca (J.A. Olson), dasha.sandra@mail.mcgill.ca (D.A. Sandra), elissa.colucci@mail.mcgill.ca (É.S. Colucci), alain.albikiai@mail.mcgill.ca (A. Al Bikaii), denis.chmoulevitch@mail.mcgill.ca (D. Chmoulevitch), jean.nahas@mail.mcgill.ca (J. Nahas), raz@chapman.edu (A. Raz), samuel.veissiere@mcgill.ca (S.P.L. Veissière).

<https://doi.org/10.1016/j.chb.2021.107138>

Received 4 October 2020; Received in revised form 30 November 2021; Accepted 7 December 2021

Available online 14 December 2021

0747-5632/© 2021 Elsevier Ltd. All rights reserved.

Hiniker, 2018), yet only half of those trying to reduce their phone use report successfully doing so (Deloitte, 2018).

One of the challenges with quantifying problematic smartphone use across the world is the plethora of measures available (Abendroth, Parry, Roux, & Gundlach, 2020; Davidson et al., 2020). There are at least 78 different scales (Harris, Regan, Schueler, & Fields, 2020), many of which correlate well with each other (Davidson et al., 2020; Harris, McCredie, & Fields, 2020), assessing similar constructs relevant to behavioural addictions (Sohn, Rees, Wildridge, Kalk, & Carter, 2019). However, these measures vary in their criteria for what constitutes problematic behaviour or risk of addiction (Abendroth et al., 2020; Davidson et al., 2020; Gutiérrez, Fonseca, & Rubio, 2016), making it difficult to directly compare scores across studies.

The most-cited measure of problematic smartphone use is the Smartphone Addiction Scale (SAS; Kwon, Lee, et al., 2013) along with its short version (SAS-SV; Kwon, Kim, Cho, & Yang, 2013). As of November 2021, these two measures have over 2200 combined citations on Google Scholar. The measures were developed in collaboration with clinicians and capture a variety of components related to behavioural addictions: withdrawal, tolerance, loss of control, intense desire to use, neglect of other activities, and continued use despite harm (Sohn et al., 2019). Both measures use items such as: "I have a hard time concentrating in class, while doing assignments, or while working, due to smartphone use". Participants rate their agreement on six-point Likert scales; higher total scores indicate more problematic smartphone use. The full version of the scale captures more shared variance than several other related measures (Davidson et al., 2020) and the short version predicts clinical judgements of smartphone addiction (Kwon, Kim, et al., 2013).

Here, we present a global meta-analysis of these measures. We hypothesised that country, age, gender, and year would predict problematic smartphone use. To our knowledge, this is the largest meta-analysis of global problematic smartphone use using comparable measures.

2. Methods

2.1. Search strategy

We used Google Scholar to collect the articles, since it returns the most entries compared to other databases (e.g., Wright, Golder, & Rodriguez-Lopez, 2014). Using the "Cited by" function, we collected all of the articles citing either of the two original SAS papers (Kwon, Lee, et al., 2013; Kwon, Kim, et al., 2013) until July 2020. Fig. 1 shows a PRISMA flow chart of the process (Moher, Liberati, Tetzlaff, & Altman, 2009).

2.2. Eligibility criteria

We first removed duplicates based on the article title using the *metagear* R package (Lajeunesse, 2015). We then kept articles published in English with the full text available anywhere (e.g., via institutional access, Google Scholar, or Library Genesis); we were able to access all potentially eligible records. After this initial screening, we ensured that each entry:

- was published in a peer-reviewed journal (based on Ulrich's Periodicals Directory or by checking the journal's website),
- studied smartphones (not tablets),
- presented original research (e.g., not a review or re-analysis of existing data),
- recruited a non-clinical population (e.g., not patients),
- had a sample size of at least 20,
- reported the average age or age range of the sample between 15 and 35 (inclusive), since adolescents and young adults tend to have the highest screen time and smartphone ownership rates, and

- reported the overall SAS or SAS-SV average or enough information to compute it (e.g., individual item scores).

2.3. Coding procedure

From each article, raters then extracted¹:

- the publication year,
- the country of the sample,
- the age mean, standard deviation, and range (or, if the average was omitted, we estimated it based on the midpoint of the range),
- the percent of female participants,
- the sample size,
- whether there were relevant subsamples (such as two samples from different countries),
- which questionnaire version was used, and
- the SAS or SAS-SV mean, standard deviation, and range.

During the first pass, two raters assessed eligibility and extracted the data before a third rater resolved discrepancies. During the second pass, another rater assessed eligibility and re-extracted the data, agreeing with 97% of the eligibility ratings from the first pass. A final rater resolved the remaining discrepancies.

2.4. Analysis

To ease comparison between the two measures, we translated the 33-item SAS scores into 10-item SAS-SV scores. We used data from Harris, McCredie, and Fields (2020) who found a strong linear relationship between the measures ($r = 0.94$, $N = 150$; Figure A1; <https://osf.io/tq3wv/>). These *estimated SAS-SV* scores were the focus of our analysis:

$$\widehat{\text{SAS}}_{\text{SV}} = .3191 \times \text{SAS} - 2.3677$$

To assess variation in problematic smartphone use, we conducted an ANOVA testing for main effects of publication year, country, age, and gender (i.e., percent of female participants). We used the sample sizes as unit weights in the regression (Hunter & Schmidt, 2004); we could not use variance-based weights since some manuscripts omitted measures of variability. All α values were 0.05 with no family-wise error correction.

3. Results

3.1. Descriptive statistics

In total, we included 83 samples from 81 studies. The median number of participants was 316 ($M = 408$, $SD = 348$, range: 40 to 1889) and most were women (60%). The average age of each sample was between 16 and 32. In total, these samples captured 33,831 participants from 24 countries.

The full SAS ranges from 48 to 288, with higher scores indicating more problematic smartphone use. The 30 samples using the SAS showed an average score of 89.96 ($SD = 12.93$). The SAS-SV ranges from 10 to 60, and the 53 samples using it showed an average of 30.16 ($SD = 3.53$). Combining the scales by translating the SAS to the SAS-SV, we saw an overall average of 28.78 ($SD = 4.16$), which is equivalent to weakly disagreeing with each scale item (scoring around 3 out of 6).

3.2. Publication year

Problematic smartphone use increased over time. Fig. 2 shows the

¹ Two studies with otherwise eligible all-male samples (Dey et al., 2019; Enwereuzor, Ugwu, & Ugwu, 2016) (and thus extreme scores on the percent of female participants) were excluded to meet statistical assumptions and to keep the studies comparable.




Fig. 1. PRISMA flow chart of study inclusion and exclusion.

pooled means increasing by year across most of the countries (unweighted $r(81) = 0.39$ [0.19, 0.56]), which accounted for 11% of the variation in the model (Table 1).

3.3. Country

Problematic smartphone use varied considerably by country (Fig. 3), accounting for 74% of the total variation. The highest consistent scores were seen in China and Saudi Arabia, followed by Malaysia, Brazil, South Korea, Iran, Canada, and Turkey. Most of these are collectivist countries which emphasise social hierarchy and conformity (Minkov, 2018). They also show *cultural tightness* with relatively pervasive and

closely followed social norms (Uz, 2015). Compared to more culturally loose countries, the more formal social and family obligations may provide a cultural incentive to stay in contact through smartphones more frequently. Indeed, the social uses of phones best predict problematic use (Lopez-Fernandez et al., 2017; van Deursen, Bolle, Hegner, & Kommers, 2015; Veissière & Stendel, 2018). One study also found a link between collectivism and *nomophobia*, the anxiety due to lacking one's phone (Arpaci, 2017). In contrast, the individualistic and culturally loose countries of Germany and France showed the lowest problematic smartphone use. In an exploratory test, we saw a negative correlation between cultural looseness and problematic use by country (unweighted $r(15) = -0.56$ [-0.82, -0.10]; Fig. 4A).




Fig. 2. Problematic smartphone use increased over time in most countries. Dots show pooled means and lines show change over time. The total score can range from 10 to 60.

Table 1

ANOVA results. Problematic smartphone use (estimated SAS-SV) varied by publication year and country.

Factor	df	SS	F	p	η^2
Publication year	1	67 630.33	40.08	<0.001	.112
Country	21	449 553.26	12.69	<0.001	.742
Average age	1	1022.25	0.61	0.440	.002
Percent female	1	287.51	0.17	0.681	.000
Residuals	52	87 753.60			.145

In addition to cultural looseness, we explored two other country-level measures. Problematic smartphone use seemed to show non-linear relationships with both country-wide smartphone ownership (Fig. 4B) and smartphone internet screen time (Fig. 4C). Future meta-analyses with more countries are needed to confirm and explain these potential non-linear relationships.

3.4. Age and gender

We did not see comparable effects for age and gender. These variables were taken on the sample level rather than the participant level, which reduced statistical power compared to individual difference studies. Younger and female populations generally have higher problematic smartphone use (Andone et al., 2016; Kwon, Kim, et al., 2013; van Deursen et al., 2015).

4. Discussion

We conducted, to our knowledge, the largest meta-analysis of problematic smartphone use with comparable measures. We focused on the Smartphone Addiction Scale, the most-cited and perhaps most-used measure of the construct. Results showed that problematic smartphone use increased over time and varied considerably by country.

The relevance of these results depends on the validity of the construct measured by the SAS. Although the scale predicts clinical judgements (Kwon, Kim, et al., 2013) and better captures shared




Fig. 3. Most recent eligible problematic smartphone use scores by country. SAS scores were translated into estimated SAS-SV scores for a consistent scale; see Figure A2 for maps of each measure.




Fig. 4. Problematic smartphone use by country-level cultural looseness (Uz, 2015), smartphone ownership (Newzoo, 2018), and smartphone internet time (GlobalWebIndex, 2018). Problematic smartphone use averages show the most recent pooled estimates for each country. Internet time is the average reported time spent on smartphones using the internet (e.g., not during phone calls).

variance than several other measures (Davidson et al., 2020), its conceptual clarity remains under debate. Davidson et al. (2020) argue that some of the items directly measure facets of mental health, which explains their correlations with depression and anxiety. Here, increases in problematic smartphone use scores could partly reflect the growing psychological distress across various countries (Twenge et al., 2019; Twenge, Haidt, Blake, McAllister, Lemon, & Roy, 2021). Davidson et al. (2020) further argue that few technology addiction measures follow the best practices in scale development, though the SAS is among the better ones. We agree that these measures should be interpreted with caution, but if the SAS and SAS-SV are currently the de facto standard scales in the field, our global averages may help interpretation until their conceptual clarity is improved (cf. Abendroth et al., 2020; Satchell et al., 2020).

For more precision in our analysis, we focused on the averages of the SAS rather than their clinical cut-off values. Kwon, Kim, Cho, and Yang (2013), who developed the SAS-SV, proposed initial criteria for determining the risk of smartphone addiction. With an average score of 25, the authors found that cut-off values of 31 for boys and 33 for girls predicted clinical judgements. However, as the authors pointed out, these cut-offs are based on a single sample of South Korean high school students and may be difficult to generalise beyond that region. Eight years later, these provisional cut-offs remain widely used for interpreting scores across the world. Using these cut-offs, the majority of recent samples from China, Saudi Arabia, and Malaysia would be considered at a high risk of smartphone addiction (Fig. 2). If phone use is now more integral to daily life than when the scale was first developed, it may be time to update the cut-off values or their clinical interpretations across countries. Doing so would help avoid pathologising social behaviours which are now seen in the majority of teenagers and young adults in some countries (cf. Kardefelt-Winther et al., 2017; Satchell et al., 2020).

4.1. Limitations

Our study had several limitations. Many of the countries had sparse

data, making it difficult to assess regional trends. For example, there may be considerable variation between rural and urban settings or between higher- and lower-income regions within the same country. Still, we saw surprisingly little such variation. In the United States, samples from Ohio, Texas, and Massachusetts varied by only 3.35 points on the SAS-SV scale (which ranges from 10 to 60). Cross-country surveys of problematic smartphone use, similar to those regularly undertaken for objective measures (e.g. GlobalWebIndex, 2018; Newzoo, 2021), would allow for more precise regional estimates (Olson, Sandra, Langer, & Veissière, in progress).

Other limitations of our study relate to generalisation. Excluding clinical samples may have reduced our reported averages, while focusing on a younger population may have increased them (van Deursen et al., 2015). The overall trend over time and the relative differences between the countries may thus be more reliable than our specific effect sizes. Similarly, we are limited in our translation from SAS to SAS-SV scores for our analysis. Although the SAS-SV contains a subset of the SAS items and both scales strongly correlate (Harris, McCredie, & Fields, 2020), the translation was based on a single American sample which may be difficult to generalise across the world. In any case, avoiding this translation by using only the SAS-SV scores would have changed no hypothesis decisions nor would it have strongly influenced the effect sizes.

4.2. Future directions

We focused on scales measuring problematic smartphone use, but as different types of devices converge, researchers may need more sophisticated measures (Abendroth et al., 2020). The boundary has blurred between problematic use of both smartphones and the internet (Chen et al., 2020), with portable devices now accounting for over half of all website traffic (Clement, 2021). The lines have also blurred between smartphones, tablets, laptops, and even smart watches; virtual and augmented reality devices may further complicate these distinctions. Forward-thinking measures may help prevent the underestimation

of problematic technology use when excluding other devices from standardised scales. For example, our study participants regularly ask whether their small tablets should be considered as smartphones in the SAS; the problematic use itself likely matters more than which particular device it involves. More comprehensive measures may also help clarify how much overlap these constructs have with typical behavioural addictions (Abendroth et al., 2020; Satchell et al., 2020).

Finally, the impact of lockdowns and work-from-home trends during the COVID-19 pandemic remains to be seen. None of the eligible studies in our sample collected data during this period, but other studies have shown a recent increase in technology use (e.g., Cellini, Canale, Mioni, & Costa, 2020). Further, it is unclear whether the same scales are as reliable during social isolation, given that several of the SAS items depend on interaction with others (e.g., “People around me tell me that I use my smartphone too much”; Kwon, Kim, et al., 2013). A follow-up meta-analysis conducted years after the current pandemic would reveal any long-term changes in problematic smartphone use.

4.3. Conclusion

Problematic smartphone use increased across the world between 2014 and 2020, and we expect this trend to continue. As organisations track objective measures such as smartphone ownership and screen time, it is also important to assess the subjective aspects and psychological consequences of this proliferation. We hope our results help researchers and policy makers quantify and predict problematic smartphone use across the world.

Credit author statement

Jay Olson: Conceptualization, Formal analysis, Methodology,

Writing - Original Draft, Writing - Review & Editing, Funding acquisition. Dasha Sandra: Methodology, Data Curation, Writing - Original Draft, Writing - Review & Editing, Funding acquisition. Éliissa Colucci: Data Curation, Writing - Original Draft, Writing - Review & Editing. Alain Al Bikaii: Data Curation, Writing - Original Draft, Writing - Review & Editing. Denis Chmoulevitch: Data Curation, Writing - Original Draft, Writing - Review & Editing. Johnny Nahas: Data Curation, Writing - Original Draft, Writing - Review & Editing. Amir Raz: Resources, Supervision. Samuel Veissière: Writing - Original Draft, Writing - Review & Editing, Supervision, Funding acquisition.

Data availability

The data table is in the Appendix and online (<https://osf.io/tq3wv/>). The dataset for the translation from SAS to SAS-SV scores (Harris, McCredie, & Fields, 2020) is also available online.

Funding

This research was supported by the Canada First Research Excellence Fund, awarded to the Healthy Brains for Healthy Lives initiative (#3c-KM-10) at McGill University. The funder had no other role in any part of the study or publication.

Declaration of competing interest

None.

Appendix A

Figure A1 shows the translation between the two problematic smartphone use measures, Figure A2 shows world maps for each measure, and Table A1 summarises all of the articles used.




Fig. A1. Smartphone Addiction Scale (SAS) and its short version (SAS-SV), based on raw data from Harris and colleagues (2020). The scales showed a strong linear relationship, allowing us to translate SAS scores to estimated SAS-SV scores. Filled dots show data within range of observed SAS averages.




Fig. A2. Pooled average of most recent year of eligible problematic smartphone use scores (SAS-SV in A and SAS in B) by country.

Table A1

Studies and subsamples used in meta-analysis. Values show means \pm standard deviations, with range in parentheses. Tildes (~) show averages estimated by the midpoint of the range.

Measure	Country	Citation	N	% female	Age	SAS or SAS-SV
SAS-SV	Australia	Winkel, Kim, Kardash, and Belic (2019)	270	78	21.26 \pm 2.55 (18–26)	28.61 \pm 9.32
	Belgium	Amez, Vujić, Soffers, and Baert (2020)	1889	53	18.78	24.24
	Brazil	Andrade et al. (2020)	387	–	22.10 \pm 5.07	32.00 \pm 8.60
	Canada	Olson, Stendel, and Veissière (2020)	475	70	21.07 \pm 3.12 (18–35)	31.11 \pm 8.96 (10–56)
	China	Elhai, Yang, Fang, Bai, and Hall (2020)	1034	65	19.34 \pm 1.61	34.92 \pm 11.39
	China	Elhai et al. (2020)	1097	82	19.38 \pm 1.18	37.36 \pm 9.54
	China	Long, Wang, Liu, and Lei (2019)	677	41	16.79 \pm 0.72 (15–19)	34.10 \pm 9.10
	China	Wang et al. (2019)	724	43	16.79 \pm 0.91	34.20 \pm 9.10
	China	Yang, Asbury, and Griffiths (2019)	475	44	19.77 \pm 1.11 (16–27)	36.70 \pm 7.55 (10–60)
	China	Lachmann et al. (2018)	612	26	21.55 \pm 2.44 (18–32)	34.20 \pm 9.30
	China	Liu and Ma (2018)	465	69	18.83 \pm 1.08 (16–24)	31.13 \pm 9.38
	China	Montag et al. (2018)	61	34	22.34 \pm 2.29	34.43 \pm 9.01 (14–52)
	China	Wang, Lei, et al. (2018)	655	45	16.80 \pm 0.74 (15–19)	34.70 \pm 8.70
	China	Wang, Nie, et al. (2018)	748	56	16.80 \pm 0.73 (15–19)	34.10 \pm 9.10
	China	Wang et al. (2017)	768	56	16.81 \pm 0.73 (15–19)	34.00 \pm 6.90
	China	Yuchang, Cuicui, Junxiu, and Junyi (2017)	297	45	20.24 \pm 1.08 (17–24)	23.74 \pm 7.49
	Egypt	Elkholy, Elhabiby, and Ibrahim (2020)	200	58	21.23 \pm 1.99 (17–27)	29.54 \pm 10.92
	Egypt	Karkusha, Mosaad, and Abdel Kader (2019)	100	–	21.08 \pm 1.86 (19–24)	33.97 \pm 7.47
	India	Bhalerao, Krishnan, Mokal, and Latti (2020)	178	56	19.28 \pm 0.93	27.20 \pm 9.65
	India	Dharmadhikari, Harshe, and Bhide (2019)	195	51	20.23 \pm 1.63 (17–27)	31.59 \pm 9.89 (10–57)
	India	Nowreen and Ahad (2018)	212	–	19.76 (17–22)	27.16
	Italy	Pasquale, Sciacca, and Hichy (2017)	633	55	18.00	28.82 \pm 8.90
	Japan	Tateno, Teo, et al. (2019)	487	73	19.60 \pm 1.50 (18–28)	29.60 \pm 8.80 (10–59)
	Japan	Tateno, Kim, et al. (2019)	573	69	19.30 \pm 1.30	26.10 \pm 10.00
	Malaysia	Tan and Arshat (2019)	400	67	22.98 \pm 1.55	35.43
	Nepal	Karki, Singh, Paudel, Khatiwada, and Timilsina (2020)	250	61	19.70 \pm 1.68 (18–29)	29.41 \pm 8.94
	Nigeria	Ayandele, Popoola, Obosi, Busari, and others (2019)	500	52	21.95 \pm 2.88 (16–32)	24.73 \pm 8.77
	Nigeria	Akodu, Akinbo, and Young (2018)	77	43	21.94 \pm 2.40	31.39 \pm 7.82
	Romania	Cocoradă, Maican, Cazan, and Maican (2018)	717	65	19.80	25.52 \pm 9.57
	Saudi Arabia	Venkatesh, Jemal, and Samani (2017)	189	47	23.29	36.29
	Serbia	Randjelovic et al. (2020)	77	–	~ 21 (20–22)	28.16 \pm 1.69 (10–53)
	South Korea	Winskel et al. (2019)	119	50	20.64 \pm 1.71 (18–26)	31.62 \pm 9.69
	Switzerland	Haug et al. (2015)	1519	52	18.20 \pm 3.60 (15–21)	23.45 \pm 8.34

(continued on next page)

Table A1 (continued)

Measure	Country	Citation	N	% female	Age	SAS or SAS-SV
SAS	Turkey	Can and Tuna (2020)	104	50	20.15 ± 1.32 (18–24)	29.87 ± 10.82 (11–58)
	Turkey	Celikkalp, Bilgic, Temel, and Varol (2020)	502	71	21.20 ± 1.86	31.89 ± 9.90
	Turkey	Çevik, Cigerci, Kılıç, and Uyar (2020)	677	74	20.20 ± 2.12	30.62 ± 10.42
	Turkey	Ozer (2020)	139	42	19.88 ± 1.59 (18–26)	29.51 ± 10.15
	Turkey	Satici & Engin Deniz (2020)	320	52	21.06 ± 1.76 (18–26)	30.46 ± 10.63
	Turkey	Sönmez, Kısacık, and Eraydın (2020)	682	74	20.76 ± 1.72	31.40 ± 10.17
	Turkey	Yalcinkaya, SengulSalik, and Buker (2020)	63	62	22.84 ± 1.86 (18–25)	28.47 ± 10.43
	Turkey	Coban (2019)	325	57	22.38 ± 3.15	32.32 ± 9.80
	Turkey	Selçuk and Ayhan (2019)	408	81	20.13 ± 2.43 (18–32)	29.41 ± 10.08 (10–60)
	Turkey	Soyer (2019)	1298	48	20.61 ± 1.67 (18–24)	31.19 ± 10.36
	Turkey	Konan, Durmuş, Türkoğlu, and Bakır (2018)	330	64	~ 22 (20–24)	28.22 ± 11.41 (10–60)
	Turkey	Zencirci et al. (2018)	1492	–	20.40 ± 1.70 (18–24)	26.00 (10–60)
	Turkey	Aker, Şahin, Sezgin, and Oğuz (2017)	494	76	20.22 ± 1.11	28.91 ± 11.34
	Turkey	Çizmeçi (2017)	344	70	~ 24 (18–29)	29.11 ± 8.23
	Turkey	Sanal and Ozer (2017)	157	46	18.94 ± 0.96	26.83 ± 12.31
	United States	Elhai et al. (2020)	316	67	19.21 ± 1.74 (18–25)	27.41 ± 9.41
	United States	Elhai et al. (2020)	286	63	19.72 ± 2.60 (18–25)	27.88 ± 9.41
	United States	Elhai, Tiamiyu, and Weeks (2018b)	296	57	20.00 ± 3.02	27.08 ± 10.15
	United States	Elhai, Tiamiyu, et al. (2018)	68	65	19.75 ± 2.03 (18–25)	25.82 ± 10.57
	United States	Elhai, Levine, O'Brien, and Armour (2018)	261	77	19.73 ± 3.52	26.31 ± 10.35
	France	Rémond and Romo (2018)	432	51	21.94 ± 5.51	71.01 ± 28.71
	Germany	Lachmann, Duke, Sariyska, and Montag (2019)	612	71	23.55 ± 5.92	65.22 ± 24.72
	India	Bhatt and Gaur (2019)	320	79	21.00	108.00
	India	Rao, Sethuraman, and Thatkar (2019)	341	72	18.92 ± 1.65	100.64 ± 28.16
	India	Sethuraman, Rao, Charlette, Thatkar, and Vincent (2018)	192	67	18.15 ± 0.74 (17–20)	101.26 ± 26.30
	India	Shah and Sheth (2018)	100	76	21.80 ± 1.29 (20–25)	102.49 ± 22.15
	India	Kurugodiyavar, Sushma, Godbole, and Nekar (2017)	240	41	19.90 (18–24)	102.93 ± 22.13 (33–166)
	India	Soni, Upadhyay, and Jain (2017)	511	42	16.50 ± 2.58	79.10 ± 12.44
	Iran	Mokhtarinia et al. (2020)	100	58	24.46 ± 4.14	106.19 ± 29.25
	Israel	Turgeman, Hefner, Bazon, Yehoshua, and Weinstein (2020)	140	48	26.33 ± 3.38 (22–35)	96.22 ± 33.56
	Israel	Turgeman et al. (2020)	60	73	23.83 ± 2.22 (19–30)	95.70 ± 25.89 (38–196)
	Israel	Ben-Yehuda, Greenberg, and Weinstein (2016)	40	50	24.10 ± 1.87 (21–29)	85.22 ± 22.56 (41–140.67)
	Malaysia	Ithnain, Ghazali, Jaafar, and others (2018)	369	–	19.32 ± 0.98 (19–30)	102.52 ± 21.07
	Saudi Arabia	AlAbdulwahab, Kachanathu, and AlMotairi (2017)	78	50	21.30 ± 1.70	119.40 ± 20.70
	South Korea	Choi et al. (2015)	448	60	20.89 ± 3.09	68.46 ± 24.95 (33–198)
	South Korea	Choi et al. (2014)	448	60	20.94 ± 2.86	68.70 ± 23.84
	Turkey	Cerit, Bilgin, and Ak (2018)	214	80	20.39 ± 1.45 (18–26)	86.43 ± 29.66
	Turkey	Dikeç and Kebapçı (2018)	265	56	21.04 ± 2.63 (18–24)	84.88 ± 22.96
	Turkey	Yayan, Düken, Dağ, and Ulutaş (2018)	788	58	20.80 ± 2.67	90.58 ± 29.44 (33–167)
	Turkey	Darcin et al. (2016)	367	62	19.50 ± 1.15	88.38
	Turkey	Demirci et al. (2015)	248	64	20.50 ± 2.45	75.68 ± 22.46
	Turkey	İnal, Demirci, Çetintürk, Akgönül, and Savaş (2015)	66	76	20.97	84.86 ± 13.07
	Turkey	Demirci, Orhan, Demirdas, Akpinar, and Sert (2014)	301	56	20.59 ± 2.35	75.76
	United Kingdom	Ellis, Davidson, Shaw, and Geyer (2019)	238	52	31.88 ± 11.19	94.20 ± 30.17
	United States	Elhai et al., 2020	295	72	19.70 ± 3.97	88.37 ± 22.95
	United States	Harris, McCredie, and Fields (2020)	150	67	19.20 ± 1.20 (18–24)	84.29 ± 25.03
	United States	Volungis, Kalpidou, Popores, and Joyce (2019)	150	83	19.28	93.23 ± 19.00 (38–148)
	United States	Wolniewicz, Rozgonjuk, and Elhai (2019)	297	72	19.70 ± 3.96	91.52 ± 23.95 (33–157)
	United States	Elhai, Vasquez, et al. (2018)	298	77	19.45 ± 2.17	93.47 ± 25.30 (34–164.28)
	United States	Rozgonjuk, Levine, Hall, and Elhai (2018)	101	76	19.53 ± 4.31	94.00 ± 24.08 (41–146)

References

- Abendroth, A., Parry, D. A., Roux, D. B. le, & Gundlach, J. (2020). An analysis of problematic media use and technology use addiction scales — what are they actually assessing?. In *Lecture notes in computer science* (pp. 211–222). Springer International Publishing. https://doi.org/10.1007/978-3-030-45002-1_18.
- Aker, S., Şahin, M. K., Sezgin, S., & Oğuz, G. (2017). Psychosocial factors affecting smartphone addiction in university students. *Journal of Addictions Nursing*, 28(4), 215–219. <https://doi.org/10.1097/jan.0000000000000197>
- Akodu, A. K., Akinbo, S. R., & Young, Q. O. (2018). Correlation among smartphone addiction, craniocervical angle, scapular dyskinesis, and selected anthropometric variables in physiotherapy undergraduates. *Journal of Taibah University Medical Sciences*, 13(6), 528–534. <https://doi.org/10.1016/j.jtumed.2018.09.001>
- AlAbdulwahab, S. S., Kachanathu, S. J., & AlMotairi, M. S. (2017). Smartphone use addiction can cause neck disability. *Musculoskeletal Care*, 15(1), 10–12. <https://doi.org/10.1002/msc.1170>
- Amez, S., Vujić, S., Soffers, P., & Baert, S. (2020). Yawning while scrolling? Examining gender differences in the association between smartphone use and sleep quality. *Journal of Sleep Research*. <https://doi.org/10.1111/jsr.12971>
- Andone, I., Blaszkiewicz, K., Eibes, M., Trendafilov, B., Montag, C., & Markowetz, A. (2016). September). How age and gender affect smartphone usage. In *Proceedings of the 2016 ACM international joint conference on pervasive and ubiquitous computing: Adjunct*. <https://doi.org/10.1145/2968219.2971451>
- Andrade, A. L. M., Kim, D.-J., Caricati, V. V., Martins, G. D. G., Kiriha, I. K., Barbugli, B. C., et al. (2020). *Validity and reliability of the Brazilian version of the smartphone addiction scale-short version for university students and adult population* (Vol. 37). Estudos de Psicologia (Campinas). <https://doi.org/10.1590/1982-0275202037e190117>
- Arpaci, I. (2017). Culture and nomophobia: The role of vertical versus horizontal collectivism in predicting nomophobia. *Information Development*, 35(1), 96–106. <https://doi.org/10.1177/0266666917730119>
- Ayandele, O., Popoola, O., Obosi, A., Busari, A., et al. (2019). Depression, anxiety and smart phone addiction among young people in south west Nigeria. *Covenant International Journal of Psychology*, 4(2).
- Ben-Yehuda, L., Greenberg, L., & Weinstein, A. (2016). Internet addiction by using the smartphone-relationships between internet addiction, frequency of smartphone use and the state of mind of male and female students. *Journal of Reward Deficiency Syndrome and Addiction Science*, 2(1). <https://doi.org/10.17756/jrdsas.2016-024>
- Bhalerao, M. M., Krishnan, B., Moksal, S. J., & Latti, R. (2020). An analysis of smartphone addiction among MBBS students. *Indian Journal of Clinical Anatomy and Physiology*, 7(1), 1–7.
- Bhatt, S., & Gaur, A. (2019). Psychological risk factors associated with internet and smartphone addiction among students of an indian dental institute. *Indian Journal of Public Health*, 63(4), Article 313. https://doi.org/10.4103/ijph.ijph_330_18
- Busch, P. A., & McCarthy, S. (2021). *Antecedents and consequences of problematic smartphone use: A systematic literature review of an emerging research area*, 114, Article 106414. <https://doi.org/10.1016/j.chb.2020.106414>

- Can, H. B., & Tuna, F. (2020). Relation between endurance of deep cervical flexor muscles and physical activity level, perceived stress, sleep quality, and smartphone addiction. *Cranio: The Journal of Craniomandibular & Sleep Practice*, 1–9. <https://doi.org/10.1080/08869634.2020.1724457>
- Celikkalp, U., Bilgic, S., Temel, M., & Varol, G. (2020). The smartphone addiction levels and the association with communication skills in nursing and medical school students. *Journal of Nursing Research*, 28(3), Article e93. <https://doi.org/10.1097/jnr.0000000000000370>
- Cellini, N., Canale, N., Mioni, G., & Costa, S. (2020). Changes in sleep pattern, sense of time and digital media use during COVID-19 lockdown in Italy. *Journal of Sleep Research*, 29(4). <https://doi.org/10.1111/jsr.13074>
- Cerit, B., Bilgin, N.Ç., & Ak, B. (2018). Relationship between smartphone addiction of nursing department students and their communication skills. *Contemporary Nurse*, 54 (4–5), 532–542. <https://doi.org/10.1080/10376178.2018.1448291>
- Çevik, C., Cigerci, Y., Kiliç, & Uyar, S. (2020). Relationship between smartphone addiction and meaning and purpose of life in students of health sciences. *Perspectives in Psychiatric Care*. <https://doi.org/10.1111/ppc.12485>
- Chen, I.-H., Pakpour, A. H., Leung, H., Potenza, M. N., Su, J.-A., Lin, C.-Y., et al. (2020). Comparing generalized and specific problematic smartphone/internet use: Longitudinal relationships between smartphone application-based addiction and social media addiction and psychological distress. *Journal of Behavioral Addictions*, 9 (2), 410–419. <https://doi.org/10.1556/2006.2020.00023>
- Choi, S.-W., Kim, D.-J., Choi, J.-S., Ahn, H., Choi, E.-J., Song, W.-Y., et al. (2015). Comparison of risk and protective factors associated with smartphone addiction and internet addiction. *Journal of Behavioral Addictions*, 4(4), 308–314. <https://doi.org/10.1556/2006.4.2015.043>
- Choi, S.-W., Mok, J. Y., Kim, D.-J., Choi, J.-S., Lee, J.-W., Ahn, H.-J., et al. (2014). Latent class analysis on internet and smartphone addiction in college students. *Neuropsychiatric Disease and Treatment*, 817. <https://doi.org/10.2147/ndt.s59293>
- Çizmecci, E. (2017). No time for reading, addicted to scrolling: The relationship between smartphone addiction and reading attitudes of Turkish youth. *Intermedia International E-Journal*, 4(7), 290–302. <https://doi.org/10.21645/intermedia.2017.37>
- Clement, J. (2021). Percentage of mobile device website traffic worldwide from 1st quarter 2015 to 1st quarter 2021. In Statista. <https://www.statista.com/statistics/277125/share-of-website-traffic-coming-from-mobile-devices/>
- Coban, D. (2019). Investigation of the relationship between smartphone addiction and overweight on university students. *Annals of Medical Research*, 26(10), Article 2172. <https://doi.org/10.5455/annalsmedres.2019.08.446>
- Cocoradă, E., Maican, C. I., Cazan, A.-M., & Maican, M. A. (2018). Assessing the smartphone addiction risk and its associations with personality traits among adolescents. *Children and Youth Services Review*, 93, 345–354. <https://doi.org/10.1016/j.chilcyouth.2018.08.006>
- Darcin, A. E., Kose, S., Noyan, C. O., Nurmedov, S., Yilmaz, O., & Dilbaz, N. (2016). Smartphone addiction and its relationship with social anxiety and loneliness. *Behaviour & Information Technology*, 35(7), 520–525. <https://doi.org/10.1080/0144929x.2016.1158319>
- Davidson, B., Shaw, H., & Ellis, D. (2020). Fuzzy constructs in assessment: The overlap between mental health and technology “use”. *PsyArXiv*. <https://doi.org/10.17605/OSF.IO/84J6H>
- Deloitte. (2018). 2018 Global mobile consumer survey: US edition. <https://www2.deloitte.com/content/dam/Deloitte/us/Documents/technology-media-telecommunications/us-tmt-global-mobile-consumer-survey-exec-summary-2018.pdf>
- Deloitte. (2019). Deloitte's 2019 global mobile consumer survey. <https://www2.deloitte.com/us/en/insights/industry/telecommunications/global-mobile-consumer-survey-2019.html>
- Demirci, K., Akgönül, M., & Akpınar, A. (2015). Relationship of smartphone use severity with sleep quality, depression, and anxiety in university students. *Journal of Behavioral Addictions*, 4(2), 85–92. <https://doi.org/10.1556/2006.4.2015.010>
- Demirci, K., Orhan, H., Demirdas, A., Akpınar, A., & Sert, H. (2014). Validity and reliability of the Turkish version of the Smartphone Addiction Scale in a younger population. *Klinik Psikofarmakoloji Bülteni-Bulletin of Clinical Psychopharmacology*, 24 (3), 226–234.
- van Deursen, A. J., Bolle, C. L., Hegner, S. M., & Kommers, P. A. (2015). Modeling habitual and addictive smartphone behavior: The role of smartphone usage types, emotional intelligence, social stress, self-regulation, age, and gender. *Computers in Human Behavior*, 45, 411–420.
- Dey, M., Studer, J., Schaub, M. P., Gmel, G., Ebert, D. D., Lee, J. Y.-C., et al. (2019). Problematic smartphone use in young Swiss men: Its association with problematic substance use and risk factors derived from the pathway model. *Journal of Behavioral Addictions*, 8(2), 326–334. <https://doi.org/10.1556/2006.8.2019.17>
- Dharmadhikari, S. P., Harshe, S. D., & Bhide, P. P. (2019). Prevalence and correlates of excessive smartphone use among medical students: A cross-sectional study. *Indian Journal of Psychological Medicine*, 41(6), 549–555. https://doi.org/10.4103/ijpsym.ijpsym_75_19
- Dikeç, G., & Kebapçı, A. (2018). Smartphone addiction level among a group of university students. *Bağımlılık Dergisi*, 19(1), 1–9.
- Elhai, J. D., Dvorak, R. D., Levine, J. C., & Hall, B. J. (2017). Problematic smartphone use: A conceptual overview and systematic review of relations with anxiety and depression psychopathology. *Journal of Affective Disorders*, 207, 251–259. <https://doi.org/10.1016/j.jad.2016.08.030>
- Elhai, J. D., Gallinari, E. F., Rozgonjuk, D., & Yang, H. (2020). Depression, anxiety and fear of missing out as correlates of social, non-social and problematic smartphone use. *Addictive Behaviors*, 105, Article 106335. <https://doi.org/10.1016/j.addbeh.2020.106335>
- Elhai, J. D., Levine, J. C., O'Brien, K. D., & Armour, C. (2018d). Distress tolerance and mindfulness mediate relations between depression and anxiety sensitivity with problematic smartphone use. *Computers in Human Behavior*, 84, 477–484. <https://doi.org/10.1016/j.chb.2018.03.026>
- Elhai, J. D., Rozgonjuk, D., Alghraibeh, A. M., Levine, J. C., Alafnan, A. A., Aldraiweesh, A. A., et al. (2020). Excessive reassurance seeking mediates relations between rumination and problematic smartphone use. *Bulletin of the Menninger Clinic*, 84(2), 137–155. <https://doi.org/10.1521/bumc.2020.84.07>
- Elhai, J. D., Tiamiyu, M., & Weeks, J. (2018b). Depression and social anxiety in relation to problematic smartphone use. *Internet Research*, 28(2), 315–332. <https://doi.org/10.1108/intr-01-2017-0019>
- Elhai, J. D., Tiamiyu, M. F., Weeks, J. W., Levine, J. C., Picard, K. J., & Hall, B. J. (2018a). Depression and emotion regulation predict objective smartphone use measured over one week. *Personality and Individual Differences*, 133, 21–28. <https://doi.org/10.1016/j.paid.2017.04.051>
- Elhai, J. D., Vasquez, J. K., Lustgarten, S. D., Levine, J. C., & Hall, B. J. (2018c). Proneness to boredom mediates relationships between problematic smartphone use with depression and anxiety severity. *Social Science Computer Review*, 36(6), 707–720. <https://doi.org/10.1177/0894439317741087>
- Elhai, J. D., Yang, H., Dempsey, A. E., & Montag, C. (2020). Rumination and negative smartphone use expectancies are associated with greater levels of problematic smartphone use: A latent class analysis. *Psychiatry Research*, 285, Article 112845. <https://doi.org/10.1016/j.psychres.2020.112845>
- Elhai, J. D., Yang, H., Fang, J., Bai, X., & Hall, B. J. (2020). Depression and anxiety symptoms are related to problematic smartphone use severity in Chinese young adults: Fear of missing out as a mediator. *Addictive Behaviors*, 101, Article 105962. <https://doi.org/10.1016/j.addbeh.2019.04.020>
- Elhai, J. D., Yang, H., Rozgonjuk, D., & Montag, C. (2020). Using machine learning to model problematic smartphone use severity: The significant role of fear of missing out. *Addictive Behaviors*, 103, Article 106261. <https://doi.org/10.1016/j.addbeh.2019.106261>
- Elkholy, H., Elhabiby, M., & Ibrahim, I. (2020). Rates of alexithymia and its association with smartphone addiction among a sample of university students in Egypt. *Frontiers in Psychiatry*, 11. <https://doi.org/10.3389/fpsy.2020.00304>
- Ellis, D. A., Davidson, B. I., Shaw, H., & Geyer, K. (2019). Do smartphone usage scales predict behavior? *International Journal of Human-Computer Studies*, 130, 86–92. <https://doi.org/10.1016/j.ijhcs.2019.05.004>
- Enwereuzor, I. K., Ugwu, L. I., & Ugwu, D. I. (2016). Role of smartphone addiction in gambling passion and schoolwork engagement: A dualistic model of passion approach. *Asian Journal of Gambling Issues and Public Health*, 6(1). <https://doi.org/10.1186/s40405-016-0018-8>
- Geng, Y., Gu, J., Wang, J., & Zhang, R. (2021). Smartphone addiction and depression, anxiety: The role of bedtime procrastination and self-control. *Journal of Affective Disorders*, 293, 415–421. <https://doi.org/10.1016/j.jad.2021.06.062>
- GlobalWebIndex. (2018). Devices. *GlobalWebIndex's flagship Report on device Ownership and usage*.
- Gutiérrez, J. D.-S., Fonseca, F. R. de, & Rubio, G. (2016). Cell-phone addiction: A review. *Frontiers in Psychiatry*, 7. <https://doi.org/10.3389/fpsy.2016.00175>
- Harris, B., McCredie, M., & Fields, S. (2020). Examining the psychometric properties of the Smartphone Addiction Scale and its short version for use with emerging adults in the U.S. *Computers in Human Behavior Reports*, 1, Article 100011. <https://doi.org/10.1016/j.chbr.2020.100011>
- Harris, B., Regan, T., Schueler, J., & Fields, S. A. (2020). Problematic mobile phone and smartphone use scales: A systematic review. *Frontiers in Psychology*, 11. <https://doi.org/10.3389/fpsyg.2020.00672>
- Haug, S., Castro, R. P., Kwon, M., Filler, A., Kowatsch, T., & Schaub, M. P. (2015). Smartphone use and smartphone addiction among young people in Switzerland. *Journal of Behavioral Addictions*, 4(4), 299–307.
- Hughes, N., & Burke, J. (2018). Sleeping with the frenemy: How restricting “bedroom use” of smartphones impacts happiness and wellbeing. *Computers in Human Behavior*, 85, 236–244.
- Hunter, J. E., & Schmidt, F. L. (2004). *Methods of meta-analysis: Correcting error and bias in research findings*. Sage.
- Hunt, M. G., Marx, R., Lipson, C., & Young, J. (2018). No more FOMO: Limiting social media decreases loneliness and depression. *Journal of Social and Clinical Psychology*, 37(10), 751–768. <https://doi.org/10.1521/jscp.2018.37.10.751>
- İnal, E. E., Demirci, K., Çetintürk, A., Akgönül, M., & Savaş, S. (2015). Effects of smartphone overuse on hand function, pinch strength, and the median nerve. *Muscle & Nerve*, 52(2), 183–188. <https://doi.org/10.1002/mus.24695>
- Ithnain, N., Ghazali, S. E., Jaafar, N., et al. (2018). Relationship between smartphone addiction with anxiety and depression among undergraduate students in Malaysia. *International Journal of Health Sciences & Research*, 8(1), 163–171.
- Kardefelt-Winther, D., Heeren, A., Schimmenti, A., Rooij, A. van, Maurage, P., Carras, M., et al. (2017). How can we conceptualize behavioural addiction without pathologizing common behaviours? *112(10)*, 1709–1715. <https://doi.org/10.1111/add.13763>
- Karki, S., Singh, J. P., Paudel, G., Khatiwada, S., & Timilsina, S. (2020). How addicted are newly admitted undergraduate medical students to smartphones?: A cross-sectional study from Chitwan medical college, Nepal. *BMC Psychiatry*, 20(1). <https://doi.org/10.1186/s12888-020-02507-1>
- Karkusha, R. N., Mosaad, D. M., & Abdel Kader, B. S. (2019). Effect of smartphone addiction on neck function among undergraduate physical therapist students. *The Egyptian Journal of Hospital Medicine*, 76(4), 4034–4038.
- Konan, N., Durmuş, E., Türkoğlu, D., & Bakır, A. A. (2018). How is smartphone addiction related to interaction anxiety of prospective teachers? *Education Sciences*, 8(4), Article 186. <https://doi.org/10.3390/educsci8040186>

- Kurugodiyavar, M. D., Sushma, H. R., Godbole, M., & Nekar, M. S. (2017). Impact of smartphone use on quality of sleep among medical students. *International Journal of Community Medicine and Public Health*, 5(1), Article 101. <https://doi.org/10.18203/2394-6040.ijcmph20175604>
- Kwon, M., Kim, D.-J., Cho, H., & Yang, S. (2013). The smartphone addiction scale: Development and validation of a short version for adolescents. *PLoS One*, 8(12), Article e83558.
- Kwon, M., Lee, J.-Y., Won, W.-Y., Park, J.-W., Min, J.-A., Hahn, C., et al. (2013). Development and validation of a smartphone addiction scale (SAS). *PLoS One*, 8(2), Article e56936.
- Lachmann, B., Duke, É., Sariyska, R., & Montag, C. (2019). Who's addicted to the smartphone and/or the internet? *Psychology of Popular Media Culture*, 8(3), 182–189. <https://doi.org/10.1037/ppm0000172>
- Lachmann, B., Sindermann, C., Sariyska, R. Y., Luo, R., Melchers, M. C., Becker, B., et al. (2018). The role of empathy and life satisfaction in internet and smartphone use disorder. *Frontiers in Psychology*, 9. <https://doi.org/10.3389/fpsyg.2018.00398>
- Lajeunesse, M. J. (2015). Facilitating systematic reviews, data extraction and meta-analysis with the metagear package for R. *Methods in Ecology and Evolution*, 7(3), 323–330. <https://doi.org/10.1111/2041-210x.12472>
- Liu, C., & Ma, J. (2018). Social support through online social networking sites and addiction among college students: The mediating roles of fear of missing out and problematic smartphone use. *Current Psychology*. <https://doi.org/10.1007/s12144-018-0075-5>
- Long, J., Wang, P., Liu, S., & Lei, L. (2019). Materialism and adolescent problematic smartphone use: The mediating role of fear of missing out and the moderating role of narcissism. *Current Psychology*. <https://doi.org/10.1007/s12144-019-00526-0>
- Lopez-Fernandez, O., Kuss, D. J., Romo, L., Morvan, Y., Kern, L., Graziani, P., et al. (2017). Self-reported dependence on mobile phones in young adults: A European cross-cultural empirical survey. *Journal of Behavioral Addictions*, 6(2), 168–177.
- Lukoff, K., Yu, C., Kientz, J., & Hiniker, A. (2018). What makes smartphone use meaningful or meaningless? *Proceedings of the ACM on Interactive, Mobile, Wearable and Ubiquitous Technologies*, 2(1), 1–26. <https://doi.org/10.1145/3191754>
- Minkov, M. (2018). A revision of Hofstede's model of national culture: Old evidence and new data from 56 countries. *Cross Cultural & Strategic Management*, 25(2), 231–256. <https://doi.org/10.1108/ccsm-03-2017-0033>
- Moher, D., Liberati, A., Tetzlaff, J., & Altman, D. G. (2009). Preferred reporting items for systematic reviews and meta-analyses: The PRISMA statement. *Annals of Internal Medicine*, 151(4), 264–269.
- Mokhtarina, H., Rafinia, M., Shahbazi, A., Ardakani, M. R. K., Harouni, G. R. G., & Gabel, C. P. (2020). The cross-cultural adaptation of the smartphone addiction scale to Persian. *Iranian Rehabilitation Journal*, 91–98. <https://doi.org/10.32598/irj.18.1.919.1>
- Montag, C., Zhao, Z., Sindermann, C., Xu, L., Fu, M., Li, J., et al. (2018). Internet communication disorder and the structure of the human brain: Initial insights on WeChat addiction. *Scientific Reports*, 8(1). <https://doi.org/10.1038/s41598-018-19904-y>
- Newzoo. (2018). *Global mobile market report*.
- Newzoo. (2019). *Global mobile market report*.
- Newzoo. (2021). *Global mobile market report*. <https://newzoo.com/insights/trend-report/s/newzoo-global-mobile-market-report-2021-free-version/>.
- Nowreen, N., & Ahad, F. (2018). Effect of smartphone usage on quality of sleep in medical students. *National Journal of Physiology, Pharmacy and Pharmacology*, 8(9), Article 1366. <https://doi.org/10.5455/njppp.2018.8.0620009062018>
- O'Dea, S. (2021). *Number of smartphone users worldwide from 2016 to 2021*. Statista. <https://www.statista.com/statistics/330695/number-of-smartphone-users-worldwide/>.
- Olson, J. A., Sandra, D. A., Chmoulevitch, D., Raz, A., & Veissière, S. P. L. (2021). A nudge-based intervention to reduce problematic smartphone use. *PsyArXiv*. <https://doi.org/10.31234/osf.io/tjynk>
- Olson, J. A., Stendel, M., & Veissière, S. (2020). Hypnotised by your phone? Smartphone addiction correlates with hypnotisability. *Frontiers in Psychiatry*, 11. <https://doi.org/10.3389/fpsyg.2020.00578>
- Ozer, O. (2020). Smartphone addiction and fear of missing out: Does smartphone use matter for students' academic performance? *Journal of Computer and Education Research*, 344–355. <https://doi.org/10.18009/jcer.696481>
- Panova, T., & Carbonell, X. (2018). Is smartphone addiction really an addiction? *Journal of Behavioral Addictions*, 7(2), 252–259.
- Pasquale, C. D., Sciacca, F., & Hichy, Z. (2017). Italian validation of smartphone addiction scale short version for adolescents and young adults (SAS-SV). *Psychology*, 8(10), 1513–1518. <https://doi.org/10.4236/psych.2017.810100>
- Pew Research Center. (2019). *Mobile fact sheet*. Pew research center: Internet, science & tech. <https://www.pewresearch.org/internet/fact-sheet/mobile/>.
- Przybylski, A. K. (2019). Digital screen time and pediatric sleep: Evidence from a preregistered cohort study. *The Journal of Pediatrics*, 205, 218–223. <https://doi.org/10.1016/j.jpeds.2018.09.054>
- Randjelovic, P., Stojiljkovic, N., Radulovic, N., Stojanovic, N., & Ilic, I. (2020). Problematic smartphone use, screen time and chronotype correlations in university students. *European Addiction Research*, 1–8. <https://doi.org/10.1159/000506738>
- Rao, S., Sethuraman, A. R., & Thatkar, P. (2019). Comparative study of smartphone addiction among arts and medical college students of Port Blair. *Community Medicine*, 10(6), 375–379.
- Rémond, J.-J., & Romo, L. (2018). Analysis of gambling in the media related to screens: Immersion as a predictor of excessive use? *International Journal of Environmental Research and Public Health*, 15(1), 58.
- Rideout, V. J., & Robb, M. B. (2019). *The common sense census: Media use by tweens and teens*.
- Rozgonjuk, D., Levine, J. C., Hall, B. J., & Elhai, J. D. (2018). The association between problematic smartphone use, depression and anxiety symptom severity, and objectively measured smartphone use over one week. *Computers in Human Behavior*, 87, 10–17. <https://doi.org/10.1016/j.chb.2018.05.019>
- Sanal, Y., & Ozer, Ö. (2017). Smartphone addiction and the use of social media among university students. *Mediterranean Journal of Humanities*, 7(2), 367–377. <https://doi.org/10.13114/mjh.2017.370>
- Satchell, L. P., Fido, D., Harper, C. A., Shaw, H., Davidson, B., Ellis, D. A., et al. (2020). Development of an offline-friendly addiction questionnaire (o-FAQ): Are most people really social addicts?, 53 pp. 1097–1106. <https://doi.org/10.3758/s13428-020-01462-9>
- Satici, B., & Engin Deniz, M. (2020). Modeling emotion regulation and subjective happiness: Smartphone addiction as a mediator. *ADDICTA: The Turkish Journal on Addictions*. <https://doi.org/10.5152/addicta.2020.20035>
- Selçuk, K. T., & Ayhan, D. (2019). The relationship between smartphone addiction risk and sleep duration and psychosocial comorbidities in health professional candidates. *Perspectives in Psychiatric Care*. <https://doi.org/10.1111/ppc.12465>
- Sethuraman, A. R., Rao, S., Charlette, L., Thatkar, P. V., & Vincent, V. (2018). Smartphone addiction among medical college students in the Andaman and Nicobar Islands. *International Journal of Community Medicine and Public Health*, 5(10), Article 4273. <https://doi.org/10.18203/2394-6040.ijcmph20183867>
- Shah, P. P., & Sheth, M. S. (2018). Correlation of smartphone use addiction with text neck syndrome and sms thumb in physiotherapy students. *Int J Community Med Public Health*, 5, 2512–2516.
- Sohn, S. Y., Krasnoff, L., Rees, P., Kalk, N. J., & Carter, B. (2021). The association between smartphone addiction and sleep: A UK cross-sectional study of young adults. *Frontiers in Psychiatry*, 12. <https://doi.org/10.3389/fpsyg.2021.629407>
- Sohn, S. Y., Rees, P., Wildridge, B., Kalk, N. J., & Carter, B. (2019). Prevalence of problematic smartphone usage and associated mental health outcomes amongst children and young people: A systematic review, meta-analysis and GRADE of the evidence. *BMC Psychiatry*, 19(1). <https://doi.org/10.1186/s12888-019-2350-x>
- Soni, R., Upadhyay, R., & Jain, M. (2017). Prevalence of smart phone addiction, sleep quality and associated behaviour problems in adolescents. *International Journal of Research in Medical Sciences*, 5(2), Article 515. <https://doi.org/10.18203/2320-6012.ijrms20170142>
- Sönmez, M., Kısacık, Ö. G., & Eraydın, C. (2020). Correlation between smartphone addiction and loneliness levels in nursing students. *Perspectives in Psychiatric Care*. <https://doi.org/10.1111/ppc.12527>
- Soyer, F. (2019). Smartphone addiction and leisure constraints: College students. *International Journal of Psychology and Educational Studies*, 6(2), 26–34. <https://doi.org/10.17220/ijpes.2019.02.003>
- Tan, P. S., & Arshat, Z. (2019). Parental attachment, smartphone addiction and stress among undergraduate students. *International Journal of Education, Psychology and Counseling*, 4(32), 149–163. <https://doi.org/10.35631/ijepc.4320015>
- Tateno, M., Kim, D.-J., Teo, A. R., Skokauskas, N., Guerrero, A. P. S., & Kato, T. A. (2019). Smartphone addiction in Japanese college students: Usefulness of the Japanese version of the smartphone addiction scale as a screening tool for a new form of internet addiction. *Psychiatry Investigation*, 16(2), 115–120. <https://doi.org/10.30773/pi.2018.12.25.2>
- Tateno, M., Teo, A. R., Ukai, W., Kanazawa, J., Katsuki, R., Kubo, H., et al. (2019). Internet addiction, smartphone addiction, and hikikomori trait in Japanese young adult: Social isolation and social network. *Frontiers in Psychiatry*, 10. <https://doi.org/10.3389/fpsyg.2019.00455>
- Turgeman, L., Hefner, I., Bazon, M., Yehoshua, O., & Weinstein, A. (2020). Studies on the relationship between social anxiety and excessive smartphone use and on the effects of abstinence and sensation seeking on excessive smartphone use. *International Journal of Environmental Research and Public Health*, 17(4), Article 1262. <https://doi.org/10.3390/ijerph17041262>
- Twenge, J. M., Blake, A. B., Haidt, J., & Campbell, W. K. (2020). Commentary: Screens, teens, and psychological well-being: Evidence from three time-use-diary studies. *Frontiers in Psychology*, 11. <https://doi.org/10.3389/fpsyg.2020.00181>
- Twenge, J. M., Cooper, A. B., Joiner, T. E., Duffy, M. E., & Binau, S. G. (2019). Age, period, and cohort trends in mood disorder indicators and suicide-related outcomes in a nationally representative dataset, 20052017. *Journal of Abnormal Psychology*, 128(3), 185–199. <https://doi.org/10.1037/abn0000410>
- Twenge, J. M., Haidt, J., Blake, A. B., McAllister, C., Lemon, H., & Roy, A. L. (2021). Worldwide increases in adolescent loneliness. *Journal of Adolescence*. <https://doi.org/10.1016/j.adolescence.2021.06.006>
- Uz, I. (2015). The index of cultural tightness and looseness among 68 countries. *Journal of Cross-Cultural Psychology*, 46(3), 319–335. <https://doi.org/10.1177/0022022114563611>
- Veissière, S. P. L., & Stendel, M. (2018). Hypernatural monitoring: A social rehearsal account of smartphone addiction. *Frontiers in Psychology*, 9, Article 141.
- Venkatesh, E., Jemal, M. Y. A., & Samani, A. S. A. (2017). Smart phone usage and addiction among dental students in Saudi Arabia: A cross sectional study. *International Journal of Adolescent Medicine and Health*, 31(1). <https://doi.org/10.1515/ijamh-2016-0133>
- Volungis, A. M., Kalpidou, M., Popores, C., & Joyce, M. (2019). Smartphone addiction and its relationship with indices of social-emotional distress and personality. *International Journal of Mental Health and Addiction*. <https://doi.org/10.1007/s11469-019-00119-9>
- Wang, P., Lei, L., Wang, X., Nie, J., Chu, X., & Jin, S. (2018). The exacerbating role of perceived social support and the "buffering" role of depression in the relation between sensation seeking and adolescent smartphone addiction. *Personality and Individual Differences*, 130, 129–134. <https://doi.org/10.1016/j.paid.2018.04.009>

- Wang, P., Nie, J., Wang, X., Wang, Y., Zhao, F., Xie, X., et al. (2018). How are smartphones associated with adolescent materialism? *Journal of Health Psychology*. <https://doi.org/10.1177/1359105318801069>, 135910531880106.
- Wang, P., Wang, X., Nie, J., Zeng, P., Liu, K., Wang, J., et al. (2019). Envy and problematic smartphone use: The mediating role of FOMO and the moderating role of student-student relationship. *Personality and Individual Differences*, 146, 136–142. <https://doi.org/10.1016/j.paid.2019.04.013>
- Wang, P., Zhao, M., Wang, X., Xie, X., Wang, Y., & Lei, L. (2017). Peer relationship and adolescent smartphone addiction: The mediating role of self-esteem and the moderating role of the need to belong. *Journal of Behavioral Addictions*, 6(4), 708–717. <https://doi.org/10.1556/2006.6.2017.079>
- Wilmer, H. H., Sherman, L. E., & Chein, J. M. (2017). Smartphones and cognition: A review of research exploring the links between mobile technology habits and cognitive functioning. *Frontiers in Psychology*, 8, 1–16. <https://doi.org/10.3389/fpsyg.2017.00605>
- Winkel, H., Kim, T.-H., Kardash, L., & Belic, I. (2019). Smartphone use and study behavior: A Korean and Australian comparison. *Heliyon*, 5(7), Article e02158. <https://doi.org/10.1016/j.heliyon.2019.e02158>
- Wolniewicz, C. A., Rozgonjuk, D., & Elhai, J. D. (2019). Boredom proneness and fear of missing out mediate relations between depression and anxiety with problematic smartphone use. *Human Behavior and Emerging Technologies*, 2(1), 61–70. <https://doi.org/10.1002/hbe2.159>
- Wright, K., Golder, S., & Rodriguez-Lopez, R. (2014). Citation searching: A systematic review case study of multiple risk behaviour interventions. *BMC Medical Research Methodology*, 14(1). <https://doi.org/10.1186/1471-2288-14-73>
- Yalcinkaya, G., Sengul Salik, Y., & Buker, N. (2020). The effect of calling duration on cervical joint repositioning error angle and discomfort in university students. *Work*, 65(3), 473–482. <https://doi.org/10.3233/WOR-203102>
- Yang, Z., Asbury, K., & Griffiths, M. D. (2019). An exploration of problematic smartphone use among Chinese university students: Associations with academic anxiety, academic procrastination, self-regulation and subjective wellbeing. *International Journal of Mental Health and Addiction*, 17(3), 596–614. <https://doi.org/10.1007/s11469-018-9961-1>
- Yayan, E. H., Düken, M. E., Dağ, Y. S., & Ulutaş, A. (2018). Examination of the relationship between nursing student's internet and smartphone addictions. *Journal of Human Sciences*, 15(2), Article 1161. <https://doi.org/10.14687/jhs.v15i2.5247>
- Yuchang, J., Cuicui, S., Junxiu, A., & Junyi, L. (2017). Attachment styles and smartphone addiction in Chinese college students: The mediating roles of dysfunctional attitudes and self-esteem. *International Journal of Mental Health and Addiction*, 15(5), 1122–1134. <https://doi.org/10.1007/s11469-017-9772-9>
- Zencirci, S. A., Aygar, H., Göktaş, S., Önsüz, M. F., Alaiye, M., & Metintaş, S. (2018). Evaluation of smartphone addiction and related factors among university students. *International Journal of Research in Medical Sciences*, 6(7), Article 2210. <https://doi.org/10.18203/2320-6012.ijrms20182805>